Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"METHOD AND APPARATUS FOR MULTVATH DELAY ESTIMATION IN DIREW SEQUENCE SPREAD SPECTRUM COMMUNICATION SYSTEMS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 14:12
S2	0	"METHOD AND APPARATUS FOR MULTPATH DELAY ESTIMATION IN DIRECT SEQUENCE SPREAD SPECTRUM COMMUNICATION SYSTEMS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 14:13
S3	0	MULTPATH with DELAY with ESTIMATION with IN with DIRECT with SEQUENCE adj SPREAD adj SPECTRUM adj COMMUNICATION adj SYSTEMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 14:14
S4	0	MULTPATH with DELAY with DIRECT with SEQUENCE adj SPREAD adj SPECTRUM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 14:15
S5	44	sourour.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 14:16
S6	540	bottomley.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 14:16
S7	21	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 14:17
S8	1	"09/727113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 16:42
S9	5	"09/005580"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 18:06
S10	0	"09/6496720"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 18:07

S11	1	"09/649672"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:32
S12	10772	(early or late) adj detection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:53
S13	0	(early or late) adj detection with cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:33
S14	0	(early or late) adj detection with (cdma or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:34
S15	3	((early or late) with detection) with (cdma or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:36
S16	0	(early adj detection) with (cdma or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:36
S17	66	"early detection" and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:36
S18	68	(early adj detection) and (cdma or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:37
S19	10	(early adj detection) and (cdma or (code adj division adj multiple adj access)) and integer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:47
S20	0	(early adj detection) and (late adj detection) and (cdma or (code adj division adj multiple adj access)) and integer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:48

S21	61	(early adj detection) and (late adj detection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 06:48
S22	0	(early adj detection) and (late adj detection) and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:08
S23	2	(energy near3 signal) with before with optimum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:10
S24	19	(energy near3 signal) same before same optimum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:14
S25	33	(energy near3 signal) same after same optimum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:42
S26	5	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:15
S27	7	"upper decile" and "lower decile"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:42
S28	711	(early or late) adj detection and integer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:58
S29	1897	(before with optimum) and (after with optimum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:59
S30	0	(anergy near3 signal) and (before with optimum) and (after with optimum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:59

S31	4260686	e	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 07:59
S32	28	(energy near3 signal) and (before with optimum) and (after with optimum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:51
S33	1112	375/148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:54
S34	1	S12 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:51
S35	976	375/140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:54
S36	3	S12 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:55
S37	495	375/240.27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:57
S38	1	S37 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:56
S39	1278	375/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:58
S40	1	S39 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:58

S41	1112	375/148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:58
S42	1	S41 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 11:58
S43	32156	early with late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 14:59
S44	553	early with late with compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:56
S45	140	early with late with compari$5 with detect$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:01
S46	140	early with late with compari$5 with detect$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:10
S47	0	early with late with compari$5 with detect$3 with logical adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:10
S49	9	(early or before or first) with (late or after or second) with compari$5 with detect$3 with (logical adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:15
S50	69	(early or before or first) same (late or after or second) same compari$5 same detect$3 same (logical adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:21

S51	12	integer with multiply with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:25
S52	513	integer with multipl$5 with compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:25
S53	2	integer with multipl$5 with compari$5 with cdma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:26
S54	9	integer with multipl$5 with compari$5 with logical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:28
S55	5	integer with multipl$5 with compari$5 with (logical with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:29
S56	12	(integer with multipl$5) same compari$5 same (logical with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:31
S57	16	(integer with (multipl$5 or product)) same compari$5 same (logical with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:32
S58	12	(integer with (multipl$5 or product) with value) same compari$5 same (logical with value)·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:34

| S59	310	(integer with (multipl$5 or product) with value) same compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:34
S60	190	(integer with (multipl$5 or product) with value) with compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:38
S61	28	(integer with (multiply or product) with value) with compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:46
S62	26	integer with product with value with compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:48
S63	4	integer with product with compari$5 and early and late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:50
S64	4	integer with (product or multiply) with compari$5 and early and late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:50
S65	11	integer with (product or multiply) same compari$5 and early and late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:51
S66	74	integer same (product or multiply) same compari$5 and early and late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:51

S67	140	early with late with compari$5 with detect$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:56
S68	46	before with after with optimum with compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:13
S69	0	before with after with optimum with compari$5 with integer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:10
S70	2	before with after with optimum with compari$5 and early and late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:13
S71	5	before same after same optimum same compari$5 same early same late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:15
S72	19467	before and after and (optimum or maximum) and compari$5 and early and late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:15
S73	32	before same after same (optimum or maximum) same compari$5 same early same late	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:16
S74	2	before same after same (optimum or maximum) same compari$5 same early same late same detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17

S75	1510	early same late same detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
S76	1669	early with late with detect$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
S77	0	early with late with detect$4 with comopari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
S78	140	early with late with detect$4 with compari$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
S79	0	early with late with detect$4 with compari$5 with integer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:18
S80	105	early with late with detect$4 with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:25
S81	341009	early or late adj detect$4 with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:28
S82	80	((early or late) adj detect$4) with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:36

S83	228	(early wit late) with (detector or detection) with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:36
S84	68	(early with late) with (detector or detection) with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:44
S85	58	(early with late) with detector with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:44
S86	42	early near5 late near5 detector with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:45
S87	39	early near5 late near5 detector near5 comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:45
S88	2	early near5 late near2 detector near5 comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:46
S89	2	early near2 late near2 detector near5 comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:46
S90	39	early near2 late near5 detector near5 comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:46

S91	154	optimum with before with after with signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:56
S92	6	optimum with before with after with signal with comparison	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:58
S93	5	optimum with before with after with signal with compare	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:00
S94	76	early adj late adj detector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:03
S95	1	early adj late adj detector with integer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:04
S97	3	early adj late adj detector same integer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:05
S98	13	early adj late adj detector and integer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:05

Google

Web   Images   Groups   News   Froogle   Local^{New!}   **more »**

"early late detector" integer | Search | Advanced Search
                                                    Preferences

Web

Results **1 - 8** of **8** for **"early late detector"** integer. (0.21 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] (Microsoft PowerPoint - 21383 [S\363lo lectura])
File Format: PDF/Adobe Acrobat - View as HTML
... Basepointer(**integer**). Fractional pointer(real between 0..1) ... **INTEGER** RATIO
ALGORITHM ... **EARLY-LATE DETECTOR** (ELD) ...
bibliotecnica.upc.es/bustia/arxius/21383.pdf - Similar pages

[PDF] Design Of A Dsp-based Code-phase-shift Keying Modem For Wireless ...
File Format: PDF/Adobe Acrobat
... **early-late detector** to enable tracking by increments of. 0.5. chips. Due to
digital implementation, the correlation is ... is represented by an **integer** ...
ieeexplore.ieee.org/iel3/ 4664/13227/00600494.pdf?arnumber=600494 - Similar pages

[PDF] Design, Analysis, and DSP-Based Implementation of a Code-Phase ...
File Format: PDF/Adobe Acrobat
... nel implementing an **early-late detector** to enable track-. ing by increm ents
of half a chip. ... Each of these is represented by an **integer** ...
www.kluweronline.com/article.asp?PIPS=297942&PDF=1 - Similar pages

[PDF] Untitled
File Format: PDF/Adobe Acrobat - View as HTML
... length FIR filter with taps located at **integer** values of the chip duration.
... (TED), the **early-late detector**, for the code tracking loops used inside ...
www.csp.curtin.edu.au/isspit2003/ documents/program_guide.pdf - Similar pages

[PDF] Overloaded Array Processing:
File Format: PDF/Adobe Acrobat - View as HTML
... and compensates for any **integer** or non-**integer** sample delay within ±T ...
Early-late detector. produces zero output due to perfect match. ...
scholar.lib.vt.edu/theses/available/ etd-12102000-183343/unrestricted/thesis_etd1.pdf - Similar pages

Can PLL Freq Error be zero?
... >designed to multiply the input frequency by **integer** 2, is the output ...
detector, a pure binary **early-late detector**. Arguably, it seesaws all ...
www.electronics-forum.info/design/ Can_PLL_Freq_Error_be_zero_466264.html - 116k - Cached - Similar pages

[PDF] 4HE 3/24 0ROJECT 3OFTWARE 2ADIO $EMONSTRATION
File Format: PDF/Adobe Acrobat - View as HTML
... 4HE OUTPUT SIGNAL of the SRA block has a sample rate which is an **integer** multiple
of the symbol- or chip-rate of the current standard-of-operation. ...
www.ifn.et.tu-dresden.de/MNS/ veroeffentlichungen/2000/Herbrig_H_SWR_00.pdf - Supplemental Result - Similar pages

Frequency-timing control loop for wireless communication systems ...
... timing discriminator (which may be implemented as an **early-late detector**) processes
data ... cdma2000, the accumulation time duration may be an **integer** multiple of ...
patents.nimblewisdom.com/patent/ 6738608-Frequency-timing-control-loop-for-wireless-communication-systems - 81k -
Supplemental Result - Cached - Similar pages

Free! Google Desktop Search: Search your own computer. Download now.

Find: ✉emails - 📄files - 👥chats - 🌐web history - 🎵media - 📄PDF

"early late detector" integer   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Web | Images | Video | Directory | Local | News | Products

YAHOO! SEARCH
"early late detector" integer   [Search]

Shortcuts   Advanced Search   Preferences

Search Results

We didn't find any Web pages matching the following criteria:

- Containing this query term: **"early late detector" integer**

Suggestions:

> - Check your spelling.
> - Try more general words.
> - Try different words that mean the same thing.
> - Broaden your search by using fewer words.

Also, you can visit the Yahoo! Search Help Center for more suggestions.

SCIRUS
for scientific information only

SCIRUS ▽ [▽] [Search] ▽ | 🖼Pop-up Blocker OFF | ⬭ Highlight

| About Us | Newsroom | Advisory Board | Submit Web Site | Search Tips | | Contact Us |

Basic Search   **Advanced Search** **Search Preferences**

["early late detector" integer   ] [Search]

☑ All journal sources   ☑ All Web sources   ☐ Exact phrase

Searched for::   All of the words:"**early late detector**" AND **integer**

Found::   :**10 total | 0 journal results | 10 Web results**

Sort by::   :**relevance** | date

[Save checked results]——[Email checked results]—•

☐ **1.** Untitled Document
Mar 2002
...of mobile communications since the **early** '80s an exploding- like increase of...block
has a sample rate which is an **integer** multiple of the symbol- or chip-rate of the current
standard-of-operation. **Integer** factor decimation can be realised...
[http://www.ifn.et.tu-dresden.de/MNS/veroeffentlichunge...]
similar results

☐ **2.** Method and apparatus for phase-aligning two clock signals
Joy, Andy / Simpson, Robert / Ward, Richard / Texas Instruments Limited,
EUROPEAN PATENT APPLICATION, Jan 2004
...may comprise an **early/late detector** operative to compare...the said edge is **late** and
to use the output...second latch if it is **early**. The circuit may...comprise an edge
detector connected to detect...period that is an **integer** multiple of that...
Full text available at patent office. For more in-depth searching go to ● LexisNexis·
similar results

☐ **3.** PARTIAL RESPONSE RECEIVER
**STOJANOVIC, Vladimir, M. / HOROWITZ, Mark, A. / ZERBE, Jared, L. / BESSIOS,
Anthony / HO, Andrew, C., C. / WEI, Jason, C. / TSANG, Grace / GARLEPP,
Bruno, W. / RAMBUS, INC.**, *PATENT COOPERATION TREATY APPLICATION*, Oct 2004
A receive circuit for receiving a signal transmitted via an electrical signal conductor. A
first sampling circuit generates a first sample value that indicates whether the signal
exceeds a first threshold level, and a second sampling circuit generates...
Full text available at patent office. For more in-depth searching go to ● LexisNexis·
similar results

☐ **4.** Method and apparatus for synchronising multiple serial datastreams in parallel
**Robertson, Iain / Simpson, Richard / Hardwood, Michael / Joy, Andy / Simpson,
Robert / Ward, Richard / Texas Instruments Limited**, *EUROPEAN PATENT
APPLICATION*, Jan 2004
...may comprise an **early/late detector** operative to compare...the said edge is **late** and
to use the output...second latch if it is **early**. The circuit may...comprise an edge
detector connected to detect...period that is an **integer** multiple of that...
Full text available at patent office. For more in-depth searching go to ● LexisNexis·
similar results

☐ **5.** Method and apparatus for synchronizing multiple serial datastreams in parallel
Robertson, Iain / Simpson, Richard / Harwood, Michael / Texas Instruments

Limited, *EUROPEAN PATENT APPLICATION,* Jan 2004
...may comprise an **early/late detector** operative to compare...the said edge is **late** and to use the output...second latch if it is **early**. The circuit may...comprise an edge **detector** connected to detect...period that is an **integer** multiple of that...
Full text available at patent office. For more in-depth searching go to ● **LexisNexis**
similar results

☐ **6.** FREQUENCY-TIMING CONTROL LOOP FOR WIRELESS COMMUNICATION SYSTEMS
SINDHUSHAYANA, Nagabhushana / QUALCOMM, INCORPORATED, *PATENT COOPERATION TREATY APPLICATION,* Aug 2003
...which may be implemented as an **early- late detector**) processes data samples for...for the signal instance. The **early** and **late** interpolated samples are approximations...timing discriminator (e. g., an **early/late detector**) and used to derive a timing...
Full text available at patent office. For more in-depth searching go to ● **LexisNexis**
similar results

☐ **7.** PILOT FREQUENCY ACQUISITION BASED ON A WINDOW OF DATA SAMPLES
PATEL, Shimman / QUALCOMM, INCORPORATED, *PATENT COOPERATION TREATY APPLICATION,* Aug 2003
Techniques to acquire the frequency of a signal instance based on a window of data samples covering a time period shorter than the time needed to achieve frequency lock. The window of data samples is initially captured and stored to a sample buffer. A...
Full text available at patent office. For more in-depth searching go to ● **LexisNexis**
similar results

☐ **8.** DELAY LOCK LOOPS FOR WIRELESS COMMUNICATION SYSTEMS
SINDHUSHAYANA, Nagabhushana, T. / QUALCOMM INCORPORATED, *PATENT COOPERATION TREATY APPLICATION,* Sep 2002
...interpolator 420 provides an **"early"** interpolated sample...element 422a, a **"late"** interpolated sample...element 422c. The **early, late**, and on-time samples...426 subtracts the **late** pilot sample energy, Ep Bate from the **early** pilot sample energy...
Full text available at patent office. For more in-depth searching go to ● **LexisNexis**
similar results

☐ **9.** TRACKING OF A MULTI-PATH RESOLVED SIGNAL IN A RAKE RECEIVER
RAZZELL, Charles, J., H. / KONINKLIJKE PHILIPS ELECTRONICS N.V., *PATENT COOPERATION TREATY APPLICATION,* Mar 2002
...Figure 4 shows an **early/late detector** in a rake finger of...equalization to the nearest **integer** number of symbols...further comprises an **early/late detector** 47 that provides power...Figure 4 shows the **early/late detector** 47 in the rake finger...
Full text available at patent office. For more in-depth searching go to ● **LexisNexis**
similar results

☐ **10.** COARSE INITIAL TIMING RECOVERY CIRCUIT
Gibson, Earl D., Huntington Beach, CA / North American Rockwell Corporation, Anaheim, CA, *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT,* Jul 1973
...the threshold crossing **detector** and provides a first...the output signal is **late** and a second signal when the output signal is **early**. A pulse train generating...occuring at substantially an **integer** multiple of the baud...this pulse train to an **integer** multiple of the correct...
Full text available at patent office. For more in-depth searching go to ● **LexisNexis**
similar results

fast ⦂⦂⦂

Test Zone | Toolbar | Subscribe to News Updates | User Feedback | Advertising
Download Search Box | Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2005

http://www.scirus.com/srsapp/search?q=%22early+late+detector%22+integer&ds=jnl&ds=web&g=s...   4/13/05

SCIENCE @ DIRECT

[Home] [Search] [Journals] [Books] [Abstract Databases] [My Profile] [Alerts]   (?) **Help**

Quick Search: [   ] within [All Full-text Sources ▼] [Go]   (?) Search Tips

No results were found
Click the search tips link on the search form below for additional information.

[All Sources] [Journals] [Books] [Abstract Databases] [Scirus]

Term(s):	Enter terms using Boolean connectors (ex: cat OR feline AND nutrition)

```
early late detector AND integer
```

Sources: ☑ **Journals** ☑ **Book Series** ☑ **Handbooks** ☐ **Abstract Databases**

select one or more:

Subject:
```
- All Sciences -
Agricultural and Biological Sciences
Arts and Humanities
Biochemistry, Genetics and Molecular Biology
```
Hold down the Ctrl key (or ⌘ key) to select multiple entries.

Dates: ○ [1995 ▼] to: [Present ▼]   ⦿ All Years

[Search ▸]   [Clear]   [Recall Search]   (?) Search Tips

Search History - Turn On

Search for articles from our full-text collection and abstracts database using this search form. Click the **Help** button for step-by-step instructions on conducting a search using this form. Consult the Search Tips for information about the use of connectors, wildcards, and other search options which can improve the precision of your search.

[Home] [Search] [Journals] [Books] [Abstract Databases] [My Profile] [Alerts]   (?) **Help**

Feedback | Terms & Conditions | Privacy Policy

IEEE Xplore RELEASE 2.0

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPOF

Results for "(early late detector<in>metadata) <and> (integer<in>metadata)"   ☑ e-mail 🖨 printer
Your search matched **0** of **1144315** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» <u>View Session History</u>

» <u>New Search</u>

» **Key**   **Modify Search**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

(early late detector<in>metadata) <and> (integer<in>metadata)   »

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

Help   Contact Us   Privacy & Security

Indexed by
Inspec*

Search Results

□$B"#□(B Search of Full Paper

Word count: { [early: 836] [late: 216] [detector: 803] :: 0 } [integer: 1752]

No match.

Search String: |"early late detector" integer | | Next Search |

how to search

SEARCH
This search system is powered by Namazu v1.3.0.6

Securing inno

Search

Full Text
Concept
Document ID
Recent Disclosures

Publish

Publish Disclosure

My IP.com

Manage Account
Prior Purchases
Prior Disclosures
Events
Main Page
Support
Logout

Fingerprint Lookup

Lookup

No records matched your search.

Perhaps you should try a less restrictive query.

Search query: early late detector integer

New search | Modify this search